

WISECO Motorcycle Pistons

KAWASAKI



**2-STROKE
MOTORCYCLE PISTONS 23**

**4-STROKE
MOTORCYCLE PISTONS 27**

**2-STROKE
STREET BIKE PISTONS 28**

**2-STROKE / 4-STROKE
ATV PISTONS 29**

OVERBORE PISTON KITS... 30

OVERBORE BLOCKS 34

POWER PACKAGES 35



WISECO Motorcycle Pistons

KAWASAKI

Model	Bore (mm) x Stroke (mm)	Displ. (cc)	Bore Size (mm)	Over Sizes (mm)	New Wiseco Piston Part No.	Previous Wiseco Piston Part No.	Price Per Piston	Repl. Ring Set See page 106 for \$	Repl. Circlips \$1.00 (D06)	Repl. Wrist Pin	Optional Accessories <i>Bearings & Gaskets are all Top End</i>
KAWASAKI OFF-ROAD CYCLE (2-Stroke)											
KDX50 2003	41 x 37.8	50 51 52 54 55	41 41.5 42 42.5 43	STD 0.50 1.00 1.50 2.00	826M04100 826M04150 826M04200 826M04250 826M04300	- - - - -	65.40 (D4293) 71.94 (D6134)	1614CD 1634CD 1654CD 1674CD 1693CD	CW12	S563	Bearing: B1000 Gasket: TBA Con. Rod: TBA Sleeve: TBA
KX60 1983-03 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	43 x 41.6	60 62 63 68	43 43.5 44 45	STD 0.50 1.00 2.00	648M04300 648M04350 648M04400 648M04500	648PS 648P2 648P4 648P8	70.42 (5224) 77.46 (D8464)	1693CD 1713CD 1732CD 1772CD	CW12	S595	Bearing: B1000 Gasket: 1985-98: W5422 1999-03: W5737 Con. Rod: 1984-03: CR128 Sleeve: 1985-03: KA935SL, 3142FA
KX65 2000-03 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	44.5 x 41.6	65 71	44.5 46.5	STD 2.00	752M04450 752M04650 752M04900	752PS 752P8	71.92 (D5134) 79.11 (D7474)	1752CD 1830CD 1929CD	CW12	S595	Bearing: B1043 Gasket: STD: W5932 46.5mm: W5889 Con. Rod: CR128 Sleeve: -
KX80 1979-83 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	48 x 45.8	83 85 86	48 48.5 49	STD 0.50 1.00	446M04800 446M04850 446M04900	446PS 446P2 446P4	77.30 (D8364)	1890CD 1909CD 1929CD	CW14	S288	Bearing: 1982-83: B1006 Gasket: 1983: W4033 Sleeve: 1978-79: 3135FA 1980-81: KA735SL 1982: 3040FA
KDX80 1980-82 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	48 x 45.8	83 85 86	48 48.5 49	STD 0.50 1.00	446M04800 446M04850 446M04900	446PS 446P2 446P4	77.30 (D8364)	1890CD 1909CD 1929CD	CW14	S288	Bearing: B1006 Gasket: - Con. Rod: 1982-97: CR129 Sleeve: 3135FA
KX80 1984-85 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	48 x 45.8	82 85 86	48 48.5 49	STD 0.50 1.00	514M04800 514M04850 514M04900	514PS 514P2 514P4	67.22 (D3304)	1890CD 1909CD 1929CD	CW14	S517 Wrist pin not included	Bearing: B1006 Gasket: 1984: W4033 1985: W5272 Con. Rod: 1982-97: CR129 Sleeve: 1984: KA852SL, 3140FA 1985: KA854SL
KDX80 1983-88 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	48 x 45.8	82 85 86	48 48.5 49	STD 0.50 1.00	514M04800 514M04850 514M04900	514PS 514P2 514P4	67.22 (D3304)	1890CD 1909CD 1929CD	CW14	S517 Wrist pin not included	Bearing: B1006 Gasket: - Con. Rod: 1982-97: CR129 Sleeve: 3255FA
KX80 1986-87 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	48 x 45.8	82 85 86	48 48.5 49	STD 0.50 1.00	539M04800 539M04850 539M04900	539PS 539P2 539P4	67.22 (D3304)	1890CD 1909CD 1929CD	CW14	S517 Wrist pin included	Bearing: B1006 Gasket: W4897 Con. Rod: CR129 Sleeve: 3042FA
KX80 1988-00 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	48 x 45.8	82 85 86 90	48 48.5 49 50	STD 0.50 1.00 2.00	644M04800 644M04850 644M04900 644M05000	644PS 644P2 644P4 644P8	77.79 (D7664) 85.57 (D4315)	1890CD 1909CD 1929CD 1969CD	CW14	S517	Bearing: B1006 Gasket: 1988-90: W5117 1991-97: W5273 1998-00: W5673 Con. Rod: 1982-97: CR129 1998-01: CR171 Sleeve: 1988-90: KA5041SL, 3046FA 1991-94: 3049FA 1995-97: 3326FA 1998-00: 3267FA
KX85 2001-03 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	48.5 x 45.8	85 92	48.5 50.5	STD 2.0	782M04850 782M05050	- -	77.79 (D7664) 85.57 (D4315)	1909CD 1988CD	CW14	S517	Bearing: B1006 Gasket: 2001: W5902 2002-03: W5985 Con. Rod: 2001-03: CR171 Sleeve: 3296FA

• 2-stroke pistons are supplied with rings, wrist pins & circlips, unless noted otherwise.

WISECO Motorcycle Pistons

KAWASAKI

Model	Bore (mm) x Stroke (mm)	Displ. (cc)	Bore Size (mm)	Over Sizes (mm)	New Wiseco Piston Part No.	Previous Wiseco Piston Part No.	Price Per Piston	Repl. Ring Set <i>See page 106 for \$</i>	Repl. Circlips \$1.00 (D06)	Repl. Wrist Pin	Optional Accessories <i>Bearings & Gaskets are all Top End</i>
KAWASAKI OFF-ROAD CYCLE (2-Stroke)											
All 100's 1974-82 KE100 1986-01 • Cylinder sleeving or replating required for KE100 and KM100 oversizes.	49.5 x 51.8	100 102 104 106 108	49.5 50 50.5 51 51.5	STD 0.50 1.00 1.50 2.00	369M04950 369M05000 369M05050 369M05100 369M05150	369PS 369P2 369P4 369P6 369P8	67.87 (D2704) 74.65 (D9744)	1949CD 1969CD 1988CD 2008CD 2028CD	CW14	S517 Wrist pin not included	Bearing: B1006 Gasket: - Con. Rod: - Sleeve: KE 1979-83, 1986-94 KA786SL, 3137FA
KX100 1995-03 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	52.5 x 45.8	99 101 107	52.5 53 54.5	STD 0.50 2.00	651M05250 651M05300 651M05450	651PS 651P2 651P8	79.15 (D9474) 87.06 (D4225)	2067CD 2087CD 2146CD	CW14	S288	Bearing: B1006 Gasket: 1995-97 52.5-53mm: W5465 54.5mm: W5668 1998-03 52.5-53mm: W5674 1998-03 54.5mm: W5675 Con. Rod: 1995-97: CR129 1998-03: CR171 Sleeve: 1995-97: 3171FA 1998-03: 3248FA
KX125 1978-81 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	56 x 50.6	125 127 130	56 56.5 57	STD 0.50 1.00	438M05600 438M05650 438M05700	438PS 438P2 438P4	91.79 (D7055)	2205CD 2224CD 2244CD	CW16	S270 Wrist pin not included	Bearing: B1016 Gasket: 1978-79: W4775 1980-81: W4776 Con. Rod: 1979-87: CR130 Sleeve: 1978-79 A4.5: KA656SL 1980 A6: KA680SL 1981 A7: KA717SL
KX125 1982-85 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	56 x 50.6	125 127 130	56 56.5 57	STD 0.50 1.00	486M05600 486M05650 486M05700	486PS 486P2 486P4	91.79 (D7055)	2205CD 2224CD 2244CD	CW16	S270 Wrist pin not included	Bearing: B1008 Gasket: 1982: W4774 1983: W4034 1984: W4035 1985: W4036 Con. Rod: 1979-87: CR130 Sleeve: 1982 B1: KA737SL 1983-84: 3138FA 1985-86: KA855SL
KX125 1986 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	56 x 50.6	125 127 130	56 56.5 57	STD 0.50 1.00	540M05600 540M05650 540M05700	540PS 540P2 540P4	87.58 (D5525)	2205CS 2224CS 2244CS	CW16	S270	Bearing: B1008 Gasket: W4036 Con. Rod: 1979-87: CR130 Sleeve: KA855SL
KX125 1987 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	56 x 50.6	125 127 130	56 56.5 57	STD 0.50 1.00	555M05600 555M05650 555M05700	555PS 555P2 555P4	86.75 (D5025)	2205CS 2224CS 2244CS	CW16	S514	Bearing: B1008 Gasket: W4036 Con. Rod: 1979-87: CR130 Sleeve: 3157FA
KX125 1988-89 PRO-LITE Single Ring • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	56 x 50.6	125 127 130	56 56.5 57	STD 0.50 1.00	566M05600 566M05650 566M05700	566PS 566P2 566P4	91.79 (D7055)	2205CS 2224CS 2244CS	CW16	S514	Bearing: B1008 Gasket: 1988: W5118 1989: W5183 Con. Rod: 1988-91: CR131 Sleeve: 1988: 3159FA 1989: 3162FA
KX125 1989 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	56 x 50.6	125 127 130	56 56.5 57	STD 0.50 1.00	578M05600 578M05650 578M05700	578PS 578P2 578P4	95.42 (D5275)	2205CD 2224CD 2244CD	CW16	S514	Bearing: B1008 Gasket: W5183 Con. Rod: 1988-91: CR131 Sleeve: 1989: 3162FA

• 2-stroke pistons are supplied with rings, wrist pins & circlips, unless noted otherwise.

WISECO Motorcycle Pistons

KAWASAKI

Model	Bore (mm) x Stroke (mm)	Displ. (cc)	Bore Size (mm)	Over Sizes (mm)	New Wiseco Piston Part No.	Previous Wiseco Piston Part No.	Price Per Piston	Repl. Ring Set <small>See page 106 for \$</small>	Repl. Circlips <small>\$1.00 (D06)</small>	Repl. Wrist Pin	Optional Accessories <small>Bearings & Gaskets are all Top End</small>
KAWASAKI OFF-ROAD CYCLE (2-Stroke)											
KX125 1990 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	56 x 50.6	125 127 130	56 56.5 57	STD 0.50 1.00	589M05600 589M05650 589M05700	589PS 589P2 589P4	95.54 (D2375)	2205CS 2224CS 2244CS	CW16	S514	Bearing: B1008 Gasket: W5224 Con. Rod: 1988-91: CR131 Sleeve: 3048FA
KX125 1991 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	56 x 50.6	125 127 130	56 56.5 57	STD 0.50 1.00	603M05600 603M05650 603M05700	603PS 603P2 603P4	95.54 (D2375)	2205CS 2224CS 2244CS	CW16	S514	Bearing: B1008 Gasket: W5266 Con. Rod: 1988-91: CR131 Sleeve: 3048FA
KX125 1992 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	54 x 54.5	125 127 129	54 54.5 55	STD 0.50 1.00	616M05400 616M05450 616M05500	616PS 616P2 616P4	95.54 (D2375)	2126CS 2146CS 2165CS	CW16	S514	Bearing: B1008 Gasket: W5320 Con. Rod: 1992-93: CR130 Sleeve: 3167FA
KX125 1993 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	54 x 54.5	125 127 129	54 54.5 55	STD 0.50 1.00	626M05400 626M05450 626M05500	626PS 626P2 626P4	91.19 (D1745)	2126CS 2146CS 2165CS	CW16	S514	Bearing: B1008 Gasket: W5349 Con. Rod: 1992-93: CR130 Sleeve: 3168FA
KX125 1994 "A" Cylinder PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	54 x 54.5	125 127 129	54 54.5 55	STD 0.50 1.00	640M05400 640M05450 640M05500	640PS 640P2 640P4	91.19 (D1745)	2126CS 2146CS 2165CS	CW15	S467	Bearing: B1013 Gasket: W5349 Con. Rod: 1994-97: CR132 Sleeve: 1994: KA5208SL, 3170FA
Std. Piston Skirt Dia. for "A" Cylinder: 53.950mm/2.1240"											
KX125 1994 "B" Cylinder PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	54 x 54.5	125 127 129	54.03 54.5 55	STD 0.50 1.00	640M05403 640M05450 640M05500	640PSB 640P2 640P4	91.19 (D1745)	2126CS 2146CS 2165CS	CW15	S467	Bearing: B1013 Gasket: W5349 Con. Rod: 1994-97: CR132 Sleeve: 1994: KA5208SL, 3170FA
Std. Piston Skirt Dia. for "B" Cylinder: 53.975mm/2.1250"											
KX125 1995-97 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	54 x 54.5	125 127 129 134	54 54.5 55 56	STD 0.50 1.00 2.00	652M05400 652M05450 652M05500 652M05600	652PS 652P2 652P4 652P8	91.19 (D1745) 100.31 (D9106)	2126CS 2146CS 2165CS 2205CS	CW15	S467	Bearing: B1013 Gasket: W5455 Con. Rod: 1994-97: CR132 Sleeve: 1995: 3336FA 1996-97: 3331FA
KX125 1998 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	54 x 54.5	125 134	54 56	STD 2.00	719M05400 719M05600	719PS 719P8	86.86 (D1125) 95.54 (D2375)	2126CS 2205CS	CW15	S467	Bearing: B1013 Gasket: W5666 Con. Rod: 1998-01: CR165 Sleeve: 3337FA
KX125 1999-00 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	54 x 54.5	125 134	54 56	STD 2.00	741M05400 741M05600	741PS 741P8	86.86 (D2125) 95.54 (D2375)	2126CS 2205CS	CW15	S467	Bearing: B1013 Gasket: W5666 Con. Rod: 1998-01: CR165 Sleeve: 1999: 3337FA 2000: 3264FA
See RACERS CHOICE section for special, high-end racer versions (pgs. 3-6)											

• 2-stroke pistons are supplied with rings, wrist pins & circlips, unless noted otherwise.

WISECO Motorcycle Pistons

KAWASAKI

Model	Bore (mm) x Stroke (mm)	Displ. (cc)	Bore Size (mm)	Over Sizes (mm)	New Wiseco Piston Part No.	Previous Wiseco Piston Part No.	Price Per Piston	Repl. Ring Set <i>See page 106 for \$</i>	Repl. Circlips <i>\$1.00 (D06)</i>	Repl. Wrist Pin	Optional Accessories <i>Bearings & Gaskets are all Top End</i>
KAWASAKI OFF-ROAD CYCLE (2-Stroke)											
KX125 2001-02 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	54	125	54	STD	783M05400	-	82.72 (D3694)	2126CS	CW15	S467	Bearing: B1013 Gasket: W5901 Con. Rod: CR165 Sleeve: -
	x 54.5	134	56	2.0	783M05600	-	90.99 (D9545)	2205CS			
See RACERS CHOICE section for special, high-end racer versions (pgs. 3-6)											
KX125 2003 NEW	54	125	54	STD	822M05400	-	82.72 (D3694)	2126CS	CW15	S467	Bearing: B1013 Gasket: W6109 Con. Rod: CR190 Sleeve: TBA
	x 54.50	134	56	2.00	822M05600	-	90.99 (D9545)	2205CS			
See RACERS CHOICE section for special, high-end racer versions (pgs. 3-6)											
KDX175 1980-82 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	66	173	66	STD	469M06600	469PS	93.26 (D6955)	2598CD	CW16	S255 Wrist pin not included	Bearing: 1980-81: B1016 1982: B1008 Gasket: - Con. Rod: - Sleeve: -
	x 50.6	176	66.5	0.50	469M06650	469P2	102.59 (D5516)	2618CD			
KDX200 1986-03 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	66	198	66	STD	711M06600	711PS	115.54 (D2396)	2598CD	CW16	S255	Bearing: B1008 Gasket: 1986-88: W5225 1989-94: W5252 1995-03: W5456 Con. Rod: 1989-03: CR131 Sleeve: 1986-88: 3225FA 1989-94: 3047FA 1995-03: 3097FA
	x 58	201	66.5	0.50	711M06650	711P2	127.09 (D5267)	2618CD			
KDX220 1997-03 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	69	217	69	STD	750M06900	750PS	115.54 (D2396)	2717CD	CW16	S259	Bearing: B1008 Gasket: W5856 Con. Rod: CR131 Sleeve: KA5319SL
	x 58	220	69.5	0.50	750M06950	750P2		2736CD			
KX250 1978-86 KDX250 1980-84 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	70	250	70	STD	439M07000	439PS	104.09 (D5426)	2756CD	CW18	S513	Bearing: B1022 Gasket: KX250 1983-84: W4037 1985: W4038 1986: W4899 Con. Rod: 1978-03: CR133 Sleeve: 1978 A4: KA655SL 1979-81 A5: KA662SL 1982 B1: KA739SL 1983-84: KA796SL 1985: 3141FA 1986: 3067FA
	x 64.9	252	70.25	0.25	439M07025	439P1	114.50 (D0786)	2766CD			
KX250 1987-89 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	67.4	250	67.4	STD	556M06740	556PS	99.14 (D8495)	2652CD	CW18	S508	Bearing: B1022 Gasket: 1987: W5119 1988-89: W5120 Con. Rod: - Sleeve: 1987: 3158FA 1988: 3160FA 1989: 3163FA
	x 70	254	68	.60	556M06800	556P2	109.05 (D3456)	2677CD			
KX250 1990-91 KDX250 1991-94 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	67.4	250	67.4	STD	607M06740	607PS	113.41 (D5086)	2652CD	CW18	S508	Bearing: B1022 Gasket: KX250 : W5275 KDX250 1989-94: W5758 Con. Rod: KX 1978-03: CR133 KDX 1991-94: CR133 Sleeve: KX250 : 1990: 3164FA 1991: 3165FA KDX250 : 3071FA
	x 70	254	68	.60	607M06800	607P2		2677CD			
KX250 1990-91 KDX250 1991-94 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	67.4	250	67.4	STD	607M06740	607PS	113.41 (D5086)	2652CD	CW18	S508	Bearing: B1022 Gasket: KX250 : W5275 KDX250 1989-94: W5758 Con. Rod: KX 1978-03: CR133 KDX 1991-94: CR133 Sleeve: KX250 : 1990: 3164FA 1991: 3165FA KDX250 : 3071FA
	x 70	254	68	.60	607M06800	607P2		2677CD			
KX250 1990-91 KDX250 1991-94 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	67.4	250	67.4	STD	607M06740	607PS	113.41 (D5086)	2652CD	CW18	S508	Bearing: B1022 Gasket: KX250 : W5275 KDX250 1989-94: W5758 Con. Rod: KX 1978-03: CR133 KDX 1991-94: CR133 Sleeve: KX250 : 1990: 3164FA 1991: 3165FA KDX250 : 3071FA
	x 70	254	68	.60	607M06800	607P2		2677CD			

• 2-stroke pistons are supplied with rings, wrist pins & circlips, unless noted otherwise.

WISECO Motorcycle Pistons

KAWASAKI

Model	Bore (mm) x Stroke (mm)	Displ. (cc)	Bore Size (mm)	Over Sizes (mm)	New Wiseco Piston Part No.	Previous Wiseco Piston Part No.	Price Per Piston	Repl. Ring Set	Repl. Circlips	Repl. Wrist Pin	Optional Accessories
KAWASAKI OFF-ROAD CYCLE (2-Stroke)											
KX250 1992-01 PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	66.4 x 72	250 254 258 265	66.4 67 67.5 68.5	STD 0.60 1.10 2.10	617M06640 617M06700 617M06750 617M06850	617PS 617P2 617P4 617P8	111.24 (D4766) 122.36 (D2437)	2614CD 2638CD 2658CD 2697CD	CW18	S508	Bearing: B1022 Gasket: 1992: W5321 1993: W5350 1994-00: W5421 2001: W5897 Con. Rod: CR133 Sleeve: 1992: 3166FA 1993: KA5180SL, 3169FA 1994: 3322FA 1995: 3222FA 1996: 3292FA 1997: 3338FA 1998-99: 3289FA 2000-01: TBA
See RACERS CHOICE section for special, high-end racer versions (pgs. 4-8)											
KX250 2002-03 PRO-LITE	66.4 x 72	250	66.4	STD	799M06640	-	111.24 (D4766)	2614CD	CW18	S508	Bearing: B1022 Gasket: W5988 Con. Rod: CR133 Sleeve: -
See RACERS CHOICE section for special, high-end racer versions (pgs. 4-8)											
KX500 1988-03 • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	86 x 86	500 505 511 517 523	86 86.5 87 87.5 88	STD 0.50 1.00 1.50 2.00	575M08600 575M08650 575M08700 575M08750 575M08800	575PS 575P2 575P4 575P6 575P8	132.70 (D2697) 145.97 (D8578)	3386TD 3405TD 3425TD 3445TD 3465TD	CW19	S376	Bearing: B1036 Gasket: 1986-88: W5121 1989-90: W5276 1991-03: W5277 Con. Rod: 1985-03: CR164 Sleeve: 1988: 3202FA 1989-03: 3161FA

• 2-stroke pistons are supplied with rings, wrist pins & circlips, unless noted otherwise.

KAWASAKI OFF-ROAD CYCLE (4-Stroke)											
KLX300 1997-03 11:1 Compression • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	78 x 61.2	292 308	78 80	STD 2.00	4630M07800 4630M08000	4630PS -	118.84 (D0317) 130.72 (D3487)	3071XG 3150XG	CW17	S533	Gasket: 78mm: W5567 80mm: W5924 Con. Rod: - Sleeve: -
KLX400 2003 12.2:1 Stock Compression	90 x 62.6	398 416	90 92	STD 2.0	4713M09000 4713M09200	- -	138.06 (D4828) 151.86 (D2119)	35433XR 3622XR	CW20	S549	Gasket: W5881 Con. Rod: - Sleeve: 3287FA
KLX400 2003 13.5:1 Compression	90 x 62.6	398 416	90 92	STD 2.0	4714M09000 4714M09200	- -	138.06 (D4828) 151.86 (D2119)	35433XR 3622XR	CW20	S549	Gasket: W5881 Con. Rod: - Sleeve: 3287FA
KLX400 2000-03 NEW 440cc Big Bore Piston 12.5:1 Compression • Cylinder work required	94.5 x 62.6	439	94.5	4.5	4795M09450	-	167.05 (D32001)	3720XP	CW20	S549	Gasket: W6103 Con. Rod: - Sleeve: 3399FA
See RACERS CHOICE section (Pg. 8) for big bore cylinder information											
KLX400 2000-03 NEW 440cc Big Bore Piston 13.5:1 Compression • Cylinder work required	94.5 x 62.6	439	94.5	4.5	4796M09450	-	167.05 (D32001)	3720XP	CW20	S549	Gasket: W6103 Con. Rod: - Sleeve: 3399FA
See RACERS CHOICE section (Pg. 8) for big bore cylinder information											

WISeco Motorcycle Pistons

KAWASAKI

Model	Bore (mm) x Stroke (mm)	Displ. (cc)	Bore Size (mm)	Over Sizes (mm)	New Wiseco Piston Part No.	Previous Wiseco Piston Part No.	Price Per Piston	Repl. Ring Set <i>See page 106 for \$</i>	Repl. Circlips \$1.00 (D06)	Repl. Wrist Pin	Optional Accessories <i>Bearings & Gaskets are all Top End</i>																												
KAWASAKI STREET BIKES (2-Stroke)																																							
KRZ150 1996 PRO-LITE • Single cylinder • International Bore - <i>Not available in the U.S.</i> • Electrofusion Bore - <i>Cylinder sleeving or replating required for oversizes.</i>	59 x 54.5	149	59	STD	683M05900	-	81.66 (D9984)	2323CD	CW15	S558	Bearing: - Gasket: - Con. Rod: - Sleeve: -																												
500 S 500 H1 500 KH Mach III • Triple cylinder	60 x 59.7	514 523 531 540	60.5 61 61.5 62	0.50 1.00 1.50 2.00	149M06050 149M06100 149M06150 149M06200	149P2 149P4 149P6 149P8	91.85 (D1155) 101.04 (D2606)	2382CD 2402CD 2421CD 2441CD	CW16	S256	Bearing: B1021 Gasket: - Con. Rod: - Sleeve: -																												
<table border="1"> <thead> <tr> <th>Kit Part #</th> <th>Bore Size</th> <th>Displ.</th> <th>Kit Price</th> </tr> </thead> <tbody> <tr> <td>K101</td> <td>60.5mm / 0.50</td> <td>514cc</td> <td>275.55</td> </tr> <tr> <td>K102</td> <td>61mm / 1.00</td> <td>523cc</td> <td>(D33561)</td> </tr> <tr> <td>K103</td> <td>61.5mm / 1.50</td> <td>531cc</td> <td>303.12</td> </tr> <tr> <td>K104</td> <td>62mm / 2.00</td> <td>540cc</td> <td>(D78181)</td> </tr> </tbody> </table> <p><i>Kit Includes: Matched & balanced forged pistons, rings, wrist pins, circlips (Kit does not include Top End Bearing & Gasket kit)</i></p>												Kit Part #	Bore Size	Displ.	Kit Price	K101	60.5mm / 0.50	514cc	275.55	K102	61mm / 1.00	523cc	(D33561)	K103	61.5mm / 1.50	531cc	303.12	K104	62mm / 2.00	540cc	(D78181)								
Kit Part #	Bore Size	Displ.	Kit Price																																				
K101	60.5mm / 0.50	514cc	275.55																																				
K102	61mm / 1.00	523cc	(D33561)																																				
K103	61.5mm / 1.50	531cc	303.12																																				
K104	62mm / 2.00	540cc	(D78181)																																				
750 Mach IV 750 H2 • Triple cylinder	71 x 63	748 758 769 778 788 798	71 71.5 72 72.5 73 73.5	STD 0.50 1.00 1.50 2.00 2.50	423M07100 423M07150 423M07200 423M07250 423M07300 423M07350	423PS 423P2 423P4 423P6 423P8 423P10	102.34 (D0416) 112.57 (D4576)	2795CD 2815CD 2835CD 2854CD 2874CD 2894CD	CW16	S259	Bearing: B1005 Gasket: - Con. Rod: - Sleeve: -																												
<table border="1"> <thead> <tr> <th>Kit Part #</th> <th>Bore Size</th> <th>Displ.</th> <th>Kit Price</th> </tr> </thead> <tbody> <tr> <td>K105</td> <td>71mm / STD</td> <td>748cc</td> <td>307.02</td> </tr> <tr> <td>K106</td> <td>71.5mm / 0.50</td> <td>758cc</td> <td>(D12481)</td> </tr> <tr> <td>K107</td> <td>72mm / 1.00</td> <td>769cc</td> <td></td> </tr> <tr> <td>K108</td> <td>72.5mm / 1.50</td> <td>778cc</td> <td>337.71</td> </tr> <tr> <td>K109</td> <td>73mm / 2.00</td> <td>788cc</td> <td>(D36202)</td> </tr> <tr> <td>K110</td> <td>73.5mm / 2.50</td> <td>798cc</td> <td></td> </tr> </tbody> </table> <p><i>Kit Includes: Matched & balanced forged pistons, rings, wrist pins, circlips (Kit does not include Top End Bearing & Gasket kit)</i></p>												Kit Part #	Bore Size	Displ.	Kit Price	K105	71mm / STD	748cc	307.02	K106	71.5mm / 0.50	758cc	(D12481)	K107	72mm / 1.00	769cc		K108	72.5mm / 1.50	778cc	337.71	K109	73mm / 2.00	788cc	(D36202)	K110	73.5mm / 2.50	798cc	
Kit Part #	Bore Size	Displ.	Kit Price																																				
K105	71mm / STD	748cc	307.02																																				
K106	71.5mm / 0.50	758cc	(D12481)																																				
K107	72mm / 1.00	769cc																																					
K108	72.5mm / 1.50	778cc	337.71																																				
K109	73mm / 2.00	788cc	(D36202)																																				
K110	73.5mm / 2.50	798cc																																					

- 2-stroke pistons are supplied with rings, wrist pins & circlips, unless noted otherwise.
- 4-stroke pistons are supplied with rings, wrist pins & circlips.
- Replacement ring style is stamped on piston dome - Example: "C" for XC, "G" for XG and "H" for XH.



WISECO ATV Pistons

KAWASAKI

Model	Bore (mm) x Stroke (mm)	Displ. (cc)	Bore Size (mm)	Over Sizes (mm)	New Wiseco Piston Part No.	Previous Wiseco Piston Part No.	Price Per Piston	Repl. Ring Set <i>See page 106 for \$</i>	Repl. Circlips <i>\$1.00 (D06)</i>	Repl. Wrist Pin	Optional Accessories <i>Bearings & Gaskets are all Top End</i>
KAWASAKI ATV (2-Stroke)											
KXT250 A1 thru 1987 Tecate thru 1987 3-Wheeler only • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	70 x 64.9	250 252 253 255 257 259 261 264	70 70.25 70.5 70.75 71 71.25 71.5 72	STD 0.25 0.50 0.75 1.00 1.25 1.50 2.00	439M07000 439M07025 439M07050 439M07075 439M07100 439M07125 439M07150 439M07200	439PS 439P1 439P2 439P3 439P4 439P5 439P6 439P8	104.09 (D5426) 114.50 (D0786)	2756CD 2766CD 2776CD 2786CD 2795CD 2805CD 2815CD 2835CD	CW18	S513	Bearing: B1022 Gasket: 1984-85: W4037 1986-87: W5076 Con. Rod: - Sleeve: Tecate 1983-85: KA795SL, 3139FA Tecate 1986: 3067FA
Tecate-4 250 1987-88 4-Wheeler Only PRO-LITE • Electrofusion Bore - Cylinder sleeving or replating required for oversizes.	67.4 x 70	250 254 258 262 266	67.4 68 68.5 69 69.5	STD 0.60 1.10 1.60 2.10	556M06740 556M06800 556M06850 556M06900 556M06950	556PS 556P2 556P4 556P6 556P8	99.14 (D8495) 109.05 (D3456)	2652CD 2677CD 2697CD 2717CD 2736CD	CW18	S508	Bearing: B1022 Gasket: 1987-88: W5119 Con. Rod: - Sleeve: 3158FA
KAWASAKI ATV (4-Stroke)											
KLF220 Bayou 1988-03 9.3:1 Compression	67 x 61	215 218 222	67 67.5 68	STD 0.50 1.0	4670M06700 4670M06750 4670M06800	4670PS 4670P2 4670P4	97.86 (D2785)	2638XC 2658XC 2677XC	CW16	S596	Gasket: W5739 Con. Rod: - Sleeve: 1998-03: KA5063SL
KSF250 Mojave Thru 2003 Liquid Cooled 11.5:1 Compression	74 x 58	249 253 256	74 74.5 75	STD 0.50 1.00	4418M07400 4418M07450 4418M07500	4418PS 4418P2 4418P4	107.65 (D9546)	2913XC 2933XC 2953XC	CW18	S555	Gasket: W5563 Con. Rod: - Sleeve: 1987-03: KA5018SL
KLF300 Bayou 1986-03 Lakota 2002 8.6:1 Compression	76 x 64	290 294 298 302	76 76.5 77 77.5	STD 0.50 1.00 1.50	4671M07600 4671M07650 4671M07700 4671M07750	4671PS 4671P2 4671P4 -	115.37 (D2296) 126.91 (D5167)	2992XC 3012XC 3032XC 3051XC	CW18	S555	Gasket: W5740 Con. Rod: - Sleeve: KLF 1986-03: KA986SL KEF 1995-03: KA986SL KVF 1999-03: KA986SL
KLX400 2003 12.2:1 Stock Compression	90 x 62.6	398 416	90 92	STD 2.0	4713M09000 4713M09200	- -	138.06 (D4828) 151.86 (D2119)	35433XR 3622XR	CW20	S549	Gasket: W5881 Con. Rod: - Sleeve: 3287FA
KLX400 2003 13.5:1 Compression	90 x 62.6	398 416	90 92	STD 2.0	4714M09000 4714M09200	- -	138.06 (D4828) 151.86 (D2119)	35433XR 3622XR	CW20	S549	Gasket: W5881 Con. Rod: - Sleeve: 3287FA
KLF400 2000-03 NEW 440cc Big Bore Piston 12.5:1 Compression • Cylinder work required	94.5 x 62.6	439	94.5	4.5	4795M09450	-	167.05 (D32001)	3720XP	CW20	S549	Gasket: W6103 Con. Rod: - Sleeve: 3399FA
See RACERS CHOICE section for big bore cylinder information											
KLF400 2000-03 NEW 440cc Big Bore Piston 13.5:1 Compression • Cylinder work required	94.5 x 62.6	439	94.5	4.5	4796M09450	-	167.05 (D32001)	3720XP	CW20	S549	Gasket: W6103 Con. Rod: - Sleeve: 3399FA
See RACERS CHOICE section for big bore cylinder information											
Prairie 650 2002 NEW 11:1 Compression	80 x 63	633 641 649 665	80 80.5 81 82	STD 0.50 1.00 2.00	4782M08000 4782M08050 4782M08100 4782M08200	- - - -	106.38 (D3836) 117.02 (D1207)	3150XC 3169XC 3189XC 3228XC	CW20	S520	Gasket: W6105 Con. Rod: - Sleeve: 3398FA

- 2-stroke pistons are supplied with rings, wrist pins & circlips, unless noted otherwise.
- 4-stroke pistons are supplied with rings, wrist pins & circlips.
- Replacement ring style is stamped on piston dome - Example: "C" for XC, "G" for XG and "H" for XH.

WISECO Overbore Kits

KAWASAKI



Displacement	Bore Size Stroke	Kit Part Number	Comp. Ratio	Cylinder Modifications & Replacement Parts. <i>All replacement pistons are sold complete with wrist pins, circlips and rings.</i>		
ZX, KZ, GPZ550 1982-85 Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Graphite Head Gasket						
615cc	2.402" or 61mm 3mm oversize Stroke - 52.59mm	K615 \$440.19 (D31462)	10.25:1	<i>Cylinder Boring Only</i> Piston: 4185M06100 \$99.82 (D9895) Graphite Head Gasket: W3162	Rings: 2402XA Sleeve: KA685SL	Wrist pins: S394 Circlips: CW14
ZX6R Ninja 1995-99 Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Spring Steel Head Gasket.						
617cc	2.638" or 67mm 1mm oversize Stroke - 43.74mm	R613 \$522.51 (D15313)	11.8:1	<i>Cylinder Boring Only</i> Piston: 4583M06700 \$114.10 (D6486) Spring Steel Head Gasket: W5476	Rings: 2638XA Base Gasket: W6050	Wrist pins: S554 Circlips: CW16
ZX6R Ninja 2000-02 Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Spring Steel Head Gasket.						
618cc	2.638" or 67mm 1mm oversize Stroke - 43.80mm	CK108 \$543.27 (D69523)	13.0:1	<i>Cylinder Boring and replating required</i> Piston: 4700M06700 \$120.08 (D5027) Spring Steel Head Gasket: W5476	Rings: 2638XA Base Gasket: W6050	Wrist pins: S554 Circlips: CW16
637cc	2.677" or 68mm 2mm oversize Stroke - 43.80mm	CK120 \$543.27 (D69523)	13.4:1	<i>Cylinder Boring and replating required</i> Piston: 4700M06800 Spring Steel Head Gasket: W5476	Rings: 2677XA Base Gasket: W6050	Wrist pins: S554 Circlips: CW16
KZ650 1976-83 Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Graphite Head Gasket						
700cc	2.520" or 64mm 2mm oversize Stroke - 54.38mm	K700 \$440.19 (D31462)	10.25:1	<i>Cylinder Boring Only</i> Piston: 4037M06400 \$99.82 (D9895) Graphite Head Gasket: W2486	Rings: 2520XC Optional Sleeve KA625SL (Sleeve not included in kit)	Wrist pins: S522 Circlips: CW15
ZN, KZ, GPZ 750 1980-85 Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Graphite Head Gasket						
810cc	2.717" or 69mm 3mm oversize Stroke - 54.14mm	K810 \$440.19 (D31462)	10.25:1	<i>Cylinder Boring Only</i> Piston: 4186M06900 \$99.82 (D9895) Graphite Head Gasket: W3163	Rings: 2717XC Optional Sleeve KA686SL (Sleeves not included in kit)	Wrist pins: S526 Circlips: CW15
ZX750 E1, Turbo Kit includes: (4) Pistons, Ring Sets, Wrist pins & Circlips. Gasket not supplied with Kit. Use modified OEM Head Gasket.						
810cc	2.717" or 69mm 3mm oversize Stroke - 54.14mm	P809B \$505.54 (D30603)	8.0:1	<i>Cylinder Boring Only. Kit supplied without gasket.</i> Piston: 4335M06900 \$117.78 (D7607)	Rings: 2717XC Optional Sleeve KA686SL (Sleeves not included in kit)	Wrist pins: S529 Circlips: CW16

WISECO Overbore Kits

KAWASAKI

Displacement	Bore Size Stroke	Kit Part Number	Comp. Ratio	Cylinder Modifications & Replacement Parts. <i>All replacement pistons are sold complete with wrist pins, circlips and rings.</i>		
ZX750, ZX750R, ZX7 1991-95 Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Spring Steel Head Gasket						
748cc	2.795" or 71mm Standard Bore Stroke - 47.24mm	R736 \$565.60 (D63933)	13:1	<i>Cylinder Deglazing required.</i> Piston: 4516M07100 \$124.88 (D3947) Spring Steel Head Gasket: W5534	Rings: 2795XA Wrist pins: S537 Base Gasket: W6051	Circlips: CW18
765cc	2.835" or 72mm 1mm oversize Stroke - 47.24mm	R766 \$565.60 (D63933)	12:1	<i>Cylinder Boring Only</i> Piston: 4518M07200 \$124.88 (D3947) Spring Steel Head Gasket: W5534	Rings: 2835XA Wrist pins: S537 Base Gasket: W6051	Circlips: CW18
ZX7R 1996-2003 Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Spring Steel Head Gasket						
748cc	2.874" or 73mm Standard Bore Stroke - 49.7mm	CK110 \$565.60 (D63933)	13:1	<i>Cylinder Deglazing required.</i> Piston: 4702M07300 \$124.88 (D3947) Spring Steel Head Gasket: W5886	Rings: 2874XA Wrist pins: S537 Base Gasket: W6052	Circlips: CW18
779cc	2.933" or 74.5mm 1.5mm oversize Stroke - 49.7mm	CK111 \$565.60 (D63933)	12.5:1	<i>Cylinder Boring Only</i> Piston: 4703M07450 \$124.88 (D3947) Spring Steel Head Gasket: W5887	Rings: 2933XA Wrist pins: S537 Base Gasket: W6052	Circlips: CW18
ZX9R 1994-97 Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Spring Steel Head Gasket.						
950cc	2.953" or 75mm 2mm oversize Stroke - 53.74mm	R951 \$565.60 (D63933)	13:1	<i>Cylinder Boring Only</i> Piston: 4591M07500 \$124.88 (D3947) Spring Steel Head Gasket: W5440	Rings: 2953XG Wrist pins: S343 Sleeve: 3261FA	Circlips: CW18
ZX9R 1998-99 Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Spring Steel Head Gasket.						
923cc	2.992" or 76mm 1mm oversize Stroke - 50.87mm	R923 \$565.60 (D63933)	12:1	<i>Cylinder Boring Only</i> Piston: 4652M07600 \$124.88 (D3947) Spring Steel Head Gasket: W5687	Rings: 2992XG Wrist pins: S343 Base Gasket: W6053	Circlips: CW18
ZX9R 2000-2003 NEW Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Spring Steel Head Gasket						
973cc	3.0708" or 78mm +3mm Bore Stroke - 50.90mm	CK129 \$562.47 (D84733)	13.5:1	<i>Cylinder Replating Required</i> Piston: 4757M07800 \$124.88 (D3947) Spring Steel Head Gasket: W6029	Rings: 3071XG Wrist pins: S524 Base Gasket: W6054	Circlips: CW18
GPZ900R Ninja, Eliminator thru 1987 Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Graphite Head Gasket.						
972cc	2.953" or 75mm 2.5mm oversize Stroke - 55mm	K972 \$477.40 (D84682)	11:1	<i>Cylinder Boring Only</i> Piston: 4415M07500 \$109.13 (D8456) Graphite Head Gasket W3885	Optional Sleeve KA863SL (Sleeves not included in kit) Rings: 2953XG Wrist pins: S555 Base Gasket: W6055	Circlips: CW18
KZ1000J, KZ1000R 1981-83 (17mm pin) Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Graphite Head Gasket						
1075cc	2.835" or 72mm 2.5mm oversize Stroke - 66mm	K1076 \$440.19 (D31462)	10.25:1	<i>Cylinder Boring Only</i> Piston: 4548M07200 \$99.82 (D9895) Graphite Head Gasket: W3918	Rings: 2835XC Wrist pins: S523 Base Gasket: W5026	Circlips: CW17
1105cc	2.874" or 73mm 3.5mm oversize Stroke - 66mm	K1106 \$440.19 (D31462)	10.25:1	<i>Cylinder Boring Only</i> Piston: 4548M07300 \$99.82 (D9895) Graphite Head Gasket: W3918	Rings: 2874XC Wrist pins: S523 Base Gasket: W5026	Circlips: CW17
GPZ1000RX, Ninja 1986-87 GTR1000 1986-00 (18mm pin) Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Graphite Head Gasket.						
1039cc	2.973" or 75.5mm 1.5mm oversize Stroke - 58mm	K1039 \$477.40 (D84682)	11:1	<i>Cylinder Boring Only</i> Piston: 4413M07550 \$109.13 (D8456) Graphite Head Gasket: W3885	Rings: 2973XG Wrist pins: S555	Circlips: CW18

WISECO Overbore Kits

KAWASAKI

Displacement	Bore Size Stroke	Kit Part Number	Comp. Ratio	Cylinder Modifications & Replacement Parts. <i>All replacement pistons are sold complete with wrist pins, circlips and rings.</i>
ZX10, ZX1000 Ninja, Tom Cat 1988-89				
Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Spring Steel Head Gasket.				
1039cc	2.973" or 75.5mm 1.5mm oversize Stroke - 58mm	K1040 \$502.60 (D11292)	11:1	<i>Cylinder Boring Only</i> Piston: 4445M07550 \$109.13 (D8456) Rings: 2973XG Wrist pins: S555 Circlips: CW18 Spring Steel Head Gasket W5533 Base Gasket: W6055
ZX11 C1 1990-94				
ZX11 D1 1993-01				
ZZR1100 1990-01				
ZRX1100 1997-01				
GPZ1100 1995-97				
Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Spring Steel Head Gasket.				
1109cc	3.071" or 78mm 2mm oversize Stroke - 58mm	R1052 \$565.60 (D63933)	12:1	<i>Cylinder Boring Only</i> Piston: 4578M07800 \$124.88 (D3947) Rings: 3071XG Wrist pins: S524 Circlips: CW18 Spring Steel Head Gasket W5486 Base Gasket: W6057
KZ900, KZ1000, KZ1000 ST thru 1980				
Z1R, Z2R 1977-80				
Kit includes: (4) Pistons, Ring Sets, Wrist pins and Circlips and (1) Overbore Head Gasket.				
Base Gaskets and Sleeves are supplied as noted.				
1015cc	2.756" or 70mm Standard Bore for KZ1000 4mm oversize for KZ900 Stroke - 65.93mm	K1015 \$443.87 (D23662)	10.25:1	<i>Cylinder Boring only for KZ900. Drop In Kit for KZ1000</i> Piston: 4020M07000 \$99.82 (D9895) Rings: 2756XC Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3917 Graphite Base Gasket: W5380 Optional Sleeve: KA627SL, 3099FA (Sleeves not included in kit)
1045cc	2.795" or 71mm 1mm oversize for KZ1000 5mm oversize for KZ900 Stroke - 65.93mm	K1045 \$443.87 (D23662)	10.25:1	<i>Cylinder Boring Only</i> Piston: 4022M07100 \$99.82 (D9895) Rings: 2795XC Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3917 Graphite Base Gasket: W5380 Optional Sleeve: KA627SL, 3099FA (Sleeves not included in kit)
1075cc	2..835" or 72mm 2mm oversize for KZ1000 Stroke - 65.93mm	K1074-1 \$443.87 (D23662)	9:1	<i>Cylinder Boring Only</i> Piston: 4379M07200 \$99.82 (D9895) Rings: 2835XC Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3918 Fiber Base Gasket: W5380 Optional Sleeve: KA627SL, 3099FA (Sleeves not included in kit)
		K1075-1 \$443.87 (D23662)	12:1	<i>Cylinder Boring Only</i> Piston: 4052M07200 \$99.82 (D9895) Rings: 2835XC Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3918 Fiber Base Gasket: W5380 Optional Sleeve: KA627SL, 3099FA (Sleeves not included in kit)
		K1075 \$569.87 (D81183)	12:1	<i>Resleeving required for KZ900. Sleeves Included in Kit.</i> Piston: 4052M07200 \$99.82 (D9895) Rings: 2835XC Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3918 Fiber Base Gasket: W5380 Sleeve: KA627SL
		R1075 \$500.99 (D50203)	12:1	<i>Resleeving required for KZ900. Cylinder Boring Only for KZ1000. Sleeves are not included.</i> Piston: 4227M07200 \$114.10 (D6486) Rings: 2835XC Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3918 Fiber Base Gasket: W5380 Optional Sleeve: KA627SL, 3099FA (Sleeves not included in kit)
1105cc	2.874" or 73mm 3mm oversize for KZ1000 Stroke - 65.93mm	K1105 \$569.87 (D81183)	10.25:1	<i>Resleeving and Crankcase Cleanup required for KZ900. Sleeves included in kit.</i> Piston: 4052M07300 \$99.82 (D9895) Rings: 2874XC Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3918 Fiber Base Gasket: W5380 Sleeve: KA629SL, 3030FA
		K1105-1 \$443.87 (D23662)	10.25:1	<i>Cylinder Boring Only for KZ1000.</i> Piston: 4052M07300 \$99.82 (D9895) Rings: 2874XC Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3918 Fiber Base Gasket: W5380 Optional Sleeve: KA629SL, 3030FA (Sleeves not included in kit)

WISECO Overbore Kits

KAWASAKI

Displacement	Bore Size Stroke	Kit Part Number	Comp. Ratio	Cylinder Modifications & Replacement Parts. <i>All replacement pistons are sold complete with wrist pins, circlips and rings.</i>
KZ900, KZ1000, KZ1000 ST thru 1980 (Continued)				
Z1R, Z2R 1977-80				
Kit includes: (4) Pistons, Ring Sets, Wrist pins and Circlips and (1) Overbore Head Gasket.				
Base Gaskets and Sleeves are supplied as noted.				
1135cc	2.913" or 74mm 4mm oversize for KZ1000 Stroke - 65.93mm	K1135 \$569.87 (D81183)	10.25:1	<i>Resleeving and Crankcase Cleanup required. Sleeves are included in kit.</i> Piston: 4052M07400 \$99.82 (D9895) Rings: 2913XC Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3918 Fiber Base Gskt: W5380 Sleeve: KA629SL, 3030FA
		K1200 \$587.21 (D06193)	10.25:1	<i>Resleeving and Crankcase Cleanup required. Sleeves are included in kit.</i> Piston 4177M07600 \$104.16 (D0526) Rings: 2992XG Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3919 Fiber Base Gskt: W5380 Sleeve KA629SL, 3030FA
1197cc	2.992" or 76mm 6mm oversize for KZ1000 Stroke - 65.93mm	P1200 \$565.01 (D00933)	13.5:1	<i>Resleeving and Crankcase Cleanup required. Sleeves are not included in kit. Racing Only.</i> Pistons: (Lft.) 4076M07600 \$130.52 (D1387) Wrist pins: S557 Circlips: CW17 (Rt.) 4077M07600 \$130.52 (D1387) Base Gskt: W5026 Rings: 2992XG Copper Head Gasket: W2743 <u>Optional Sleeve: KA629SL, 3030FA (Sleeves not in kit)</u>
		P1260 \$565.01 (D00933)	13.5:1	<i>Resleeving, crankcase cleanup and W3715-1 Big Block required. Drag Racing Only.</i> Pistons: (Lft.) 4128M07800 \$130.52 (D1387) Wrist pins: S557 Circlips: CW17 (Rt.) 4129M07800 \$130.52 (D1387) Base Gskt: W5364 Rings: 3071XG Copper Head Gasket: W2744 <u>Optional Sleeve: KA750SL, 3010FA (Sleeves not in kit)</u>
1261cc	3.071" or 78mm 8mm oversize for KZ1000 Stroke - 65.93mm	K1325 \$587.21 (D06193)	10.25:1	<i>Resleeving, crankcase cleanup and W3715-1 Big Block required. Sleeves are included in kit.</i> Piston: 4287M08000 \$104.16 (D0526) Rings: 3150XG Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3921 Base Gasket: W5364 Sleeve: KA773SL, 3031FA
		P1325 \$565.01 (D00933)	13.5:1	<i>Resleeving, crankcase cleanup and W3715-1 Big Block required. Drag Racing Only.</i> Pistons: (Lft.) 4219M08000 \$130.52 (D1387) Wrist pins: S557 Circlips: CW17 (Rt.) 4220M08000 \$130.52 (D1387) Base Gskt: W5364 Rings: 3150XG Copper Head Gasket: W2746 <u>Optional Sleeve: KA773SL, 3031FA (Sleeves not in kit)</u>
1327cc	3.150" or 80mm 10mm oversize for KZ1000 Stroke - 65.93mm	K1385 \$587.21 (D06193)	10.25:1	<i>Resleeving, crankcase cleanup and W3715-1 Big Block required. Sleeves included in kit.</i> Piston 4287M08200 \$104.16 (D0526) Rings: 3228XG Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3922 Base Gasket: W5364 Sleeve: KA773SL, 3031FA
		P1385 \$633.05 (D38973)	13.5:1	<i>Resleeving, crankcase cleanup and W3715-1 Big Block required. Drag Racing Only.</i> Pistons: (Lft.) 4222M08200 \$147.53 (D2588) Wrist pins: S557 Circlips: CW17 (Rt.) 4223M08200 \$147.53 (D2588) Base Gskt: W5364 Rings: 3228XG Copper Head Gasket: W5947 <u>Optional Sleeve: KA773SL (Sleeves not included in kit)</u>
		P1385B \$633.05 (D38973)	8:1	<i>Resleeving, crankcase cleanup & W3715-1 Big Block required. Turbo Application</i> Piston 4263M08200 \$147.53 (D2588) Rings: 3228XG Wrist pins: S557 Circlips: CW17 Copper Head Gskt: W5947 Base Gskt: W5364 <u>Optional Sleeve: KA773SL, 3031FA (Sleeves not in kit)</u>
1393cc	3.228" or 82mm 12mm oversize for KZ1000 Stroke - 65.93mm	P1425 \$633.05 (D38973)	13.5:1	<i>Resleeving, crankcase cleanup and W3715-1 Big Block required. Drag Racing Only.</i> Pistons: (Lft.) 4248M08300 \$147.53 (D2588) Wrist pins: S557 Circlips: CW17 (Rt.) 4249M08300 \$147.53 (D2588) Rings: 3268XG Copper Head Gasket: W5948 <u>Optional Sleeve: KA773SL (Sleeves not included in kit)</u>
		P1425B \$633.05 (D38973)	8:1	<i>Resleeving, crankcase cleanup and W3715-1 Big Block required. Turbo Application</i> Piston: 4264M08300 \$147.53 (D2588) Rings: 3268XG Wrist pins: S557 Circlips: CW17 Copper Head Gasket: W5948 <u>Optional Sleeve: KA773SL, 3031FA (Sleeves not in kit)</u>
		P1494 \$590.10 (D60453)	13.5:1	<i>PRO STOCK - Drag Racing Only. Extensive Cylinder Head machining required.</i> Piston: 4566M08300 \$147.53 (D2588) Rings: 3268XG Wrist pins: S557 Circlips: CW17 Big Block Required Base Gasket: W5363
1428cc	3.268" or 83mm 13mm oversize for KZ1000 Stroke - 65.93mm	P1428 \$590.10 (D60453)	13.5:1	<i>PRO STOCK - Drag Racing Only. Extensive Cylinder Head machining required.</i> Piston: 4563M08500 \$147.53 (D2588) Rings: 3347XC Wrist pins: S557 Circlips: CW17 Big Block Required Base Gasket: W5367
		P1494 \$590.10 (D60453)	13.5:1	<i>PRO STOCK - Drag Racing Only. Extensive Cylinder Head machining required.</i> Piston: 4563M08500 \$147.53 (D2588) Rings: 3347XC Wrist pins: S557 Circlips: CW17 Big Block Required Base Gasket: W5367
KZ, GPZ Pro Stock Gas Ported (2-Valve)				
Kit includes: (4) Pistons with 45° Angle Domes, 17mm Pin Holes, Ring Sets, Wrist pins and Circlips.				
Gaskets not included.				
1428cc	3.268" or 83mm 13mm oversize for KZ1000 Stroke - 65.93mm	P1428 \$590.10 (D60453)	13.5:1	<i>PRO STOCK - Drag Racing Only. Extensive Cylinder Head machining required.</i> Piston: 4566M08300 \$147.53 (D2588) Rings: 3268XG Wrist pins: S557 Circlips: CW17 Big Block Required Base Gasket: W5363
		P1494 \$590.10 (D60453)	13.5:1	<i>PRO STOCK - Drag Racing Only. Extensive Cylinder Head machining required.</i> Piston: 4563M08500 \$147.53 (D2588) Rings: 3347XC Wrist pins: S557 Circlips: CW17 Big Block Required Base Gasket: W5367

WISECO Overbore Kits

KAWASAKI

Displacement	Bore Size Stroke	Kit Part Number	Comp. Ratio	Cylinder Modifications & Replacement Parts. <i>All replacement pistons are sold complete with wrist pins, circlips and rings.</i>
--------------	------------------	-----------------	-------------	--

2-Valve, Prostock - Vortex Cylinder Head **NEW**

Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Copper Head Gasket

1496cc	3.3464" or 85mm +13mm oversize Stroke - 65.93mm	CK127 \$722.95 (D77334)	13.5:1	Piston: 4751M08500 \$165.00 (D0099) Rings: 3346XR Wrist pins: S665 Circlips: CW18 Copper Head Gasket: W6018
	3.3464" or 85mm +13mm oversize Stroke - 65.93mm	Single Pistons Only	13.5:1	<i>No valve pockets</i> Piston: 9758M08500 \$165.00 (D0099) Rings: 3346XR Wrist pins: S665 Circlips: CW18 Copper Head Gasket: W6018
	3.3464" or 85mm +13mm oversize Stroke - 65.93mm	Single Pistons Only	13.5:1	No Valve Pockets Piston: 9758M08500 \$165.00 (D0099) Rings: 3346XR Wrist pins: S665 Circlips: CW18 Copper Head Gasket: W6018
1532cc	3.3858" or 86mm +14mm oversize Stroke - 65.93 mm	CK128 \$722.95 (D77334)	13.5:1	Piston: 4751M08600 \$165.00 (D0099) Rings: 3386XR Wrist pins: S665 Circlips: CW18 Copper Head Gasket: W6019

GPZ 1100 1981-82 (17mm pin)

Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips, (1) Fiber Base Gasket and (1) Graphite Head Gasket.
Sleeves included as noted.

1135cc	2.913" or 74mm 1.5mm oversize Stroke - 65.99mm	K1136 \$477.40 (D84682)	10.25:1	<i>Cylinder Boring Only</i> Piston: 4256M07400 \$109.13 (D8456) Rings: 2913XC Wrist pins: S523 Circlips: CW17 Graphite Head Gasket: W3918 Fiber Base Gasket: W5496 Optional Sleeve: KA629SL, 3030FA (Sleeves not included in kit)
1166cc	2.953" or 75mm 2.5mm oversize Stroke - 65.99mm	K1171 \$477.40 (D84682)	10.25:1	<i>Cylinder Boring Only</i> Piston: 4255M07500 \$109.13 (D8456) Rings: 2953XG Wrist pins: S523 Circlips: CW17 Spring Steel Head Gasket: W5963 Fiber Base Gasket: W5496 Optional Sleeve: KA629SL, 3030FA (Sleeves not included in kit)

KZ1100, GPZ1100, GPZX1100, ZX1100 1983-84 (18mm pin)

Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips, (1) Fiber Base Gasket and (1) Graphite Head Gasket.
Sleeves included as noted.

1170cc	2.953" or 75mm 2.5mm oversize Stroke - 66.2mm	K1173 \$477.40 (D84682)	9.5:1	<i>Cylinder Boring Only</i> Piston: 4380M07500 \$109.13 (D8456) Rings: 2953XG Wrist pins: S555 Circlips: CW18 Spring Steel Head Gasket: W5963 Fiber Base Gasket: W5496 Optional Sleeve: KA629SL, 3030FA (Sleeves not included in kit)
		K1172 \$477.40 (D84682)	10.25:1	<i>Cylinder Boring Only</i> Piston: 4302M07500 \$109.13 (D8456) Rings: 2953XG Wrist pins: S555 Circlips: CW18 Spring Steel Head Gasket: W5963 Fiber Base Gasket: W5496 Optional Sleeve: KA629SL, 3030FA (Sleeves not included in kit)
1262cc	3.071" or 78mm 5.5mm oversize Stroke - 66.2mm	K1262 \$603.40 (D58993)	10.25:1	<i>Resleeving required. Sleeves included in kit.</i> Piston: 4304M07800 \$109.13 (D8456) Rings: 3071XG Wrist pins: S555 Circlips: CW18 Graphite Head Gasket: W3920 Fiber Base Gasket: W5496 Sleeve: KA750SL

ZX12R 2000-2003 **NEW**

Kit includes: (4) Pistons, Ring Sets, Wrist pins, Circlips and (1) Spring Steel Head Gasket

1198cc	3.2677" or 83mm STD Bore Stroke - 55.40mm	CK132 \$565.60 (D63933)	13.5:1	<i>Cylinder Deglazing Required</i> Piston: 4765M08300 \$124.88 (D3947) Rings: 3268XG Wrist pins: S527 Circlips: CW21 Spring Steel Head Gasket: W6036 Base Gasket: W6058 Carrillo Rod: CAR002
1272cc	3.3661" or 85.50mm +2.50mm oversize Stroke - 55.40mm	CK133 \$565.60 (D63933)	13.5:1	<i>Cylinder Boring and Replating Required</i> Piston: 4766M08550 \$124.88 (D3947) Rings: 8550XX Wrist pins: S527 Circlips: CW21 Spring Steel Head Gasket: W6037 Base Gasket: W6058 Carrillo Rod: CAR002

Overbore Blocks

Overbore Blocks for Street & Strip

- Reinforced to accept bore sizes from 1166cc to 1425cc. Additional cooling fins allow cylinder to be used for high performance street riding, touring and drag racing.
- Wiseco Overbore Blocks are sold with unfinished deck surface; no cylinder liners, and no piston kit.

Part #
W3715-1
\$370.00 (D00082)

Description
KZ900-1000 - Bare Block Only
Recommended for Wiseco Street Kits: K1200, K1260, K1325, K1385
Recommended for Wiseco Drag Race Kits: P1200, P1230, P1260, P1325, P1385, P1425
Recommended for Turbo Kits: P1200B, P1385B, P1425B

W3942-1
\$370.00 (D00082)

GPZ1100, 1981-84 - Bare Block Only
Recommended for Wiseco Street Kits: K1171, K1172, K1173, K1261, K1262

• See page 80 for sleeve preparation and installation information.

WISECO Power Packages

KAWASAKI

Supplied Complete...

- Big Bore Block with Sleeves
- Wiseco Hi-Performance Overbore Piston Kit
- Big Bore Head Gasket
- Base Gasket

Machined Complete... Ready to Run!

- Sleeves Installed
- Finished Decking
- Block bored and precision honed to kit
- O-Ringing is optional

Crankcase Clean-up required on all kits.



Displ.	Bore Size	Power Package #	Usage Comp. Ratio	Replacement Components			
Kawasaki KZ900-1000 Includes W3715-1 Big Block with Sleeves; Overbore Piston Kit; Head Gasket; Base Gasket - READY TO RUN!							
1197cc	2.992" or 76mm	W3945 \$1072.31 (D79377)	Street 10.25:1	Piston Kit: K1200 Piston: 4177M07600 \$104.16 (D0526)	Rings: 2992XG Wrist pin: S523	Circlips: CW17 Sleeves: KA629SL, 3030FA	Head Gasket: W3919 Base Gasket: W5026
		W3946 \$1167.71 (D74628)	Drag Race 13.5:1	Piston Kit: P1200 Piston: 4076M07600/4077M07600 \$130.52 (D1387)	Rings: 2992XG Wrist pin: S557	Circlips: CW17 Sleeves: KA629SL, 3030FA	Head Gasket: W2743 Base Gasket: W5026
1230cc	3.032" or 76mm	W3948 \$1167.71 (D74628)	Drag Race 13.5:1	Piston Kit: P1230 Piston: 4080M07600/4081M07600 \$130.52 (D1387)	Rings: 3032XG Wrist pin: S557	Circlips: CW17 Sleeves: KA750SL, 3010FA	Head Gasket: W2744 Base Gasket: W5359
1261cc	3.071" or 78mm	W3951 \$1167.71 (D74628)	Drag Race 13.5:1	Piston Kit: P1260 Piston: 4128M07800/4129M07800 \$130.52 (D1387)	Rings: 3071XG Wrist pin: S557	Circlips: CW17 Sleeves: KA750SL, 3010FA	Head Gasket: W2744 Base Gasket: W5359
1327cc	3.150" or 80mm	W3954 \$1072.31 (D79377)	Street 10.25:1	Piston Kit: K1325 Piston: 4287M08000 \$104.16 (D0526)	Rings: 3150XG Wrist pin: S523	Circlips: CW17 Sleeves: KA773SL, 3031FA	Head Gasket: W3921 Base Gasket: W5363
		W3955 \$1167.71 (D74628)	Drag Race 13.5:1	Piston Kit: P1325 Piston: 4219M08000/4220M08000 \$130.52 (D1387)	Rings: 3150XG Wrist pin: S557	Circlips: CW17 Sleeves: KA773SL, 3031FA	Head Gasket: W5944 Base Gasket: W5363
1393cc	3.228" or 82mm	W3957 \$1072.31 (D79377)	Street 10.25:1	Piston Kit: K1385 Piston: 4287M08200 \$104.16 (D0526)	Rings: 3228XG Wrist pin: S523	Circlips: CW17 Sleeves: KA773SL, 3031FA	Head Gasket: W3922 Base Gasket: W5363
		W3958 \$1235.75 (D02768)	Drag Race 13.5:1	Piston Kit: P1385 Piston: 4222M08200/4223M08200 \$147.53 (D2588)	Rings: 3228XG Wrist pin: S557	Circlips: CW17 Sleeves: KA773SL, 3031FA	Head Gasket: W5947 Base Gasket: W5363
		W3959 \$1235.75 (D02768)	Turbo 8:1	Piston Kit: P1385B Piston: 4263M08200 \$147.53 (D2588)	Rings: 3228XG Wrist pin: S557	Circlips: CW17 Sleeves: KA773SL, 3031FA	Head Gasket: W5947 Base Gasket: W5363
Kawasaki KZ900-1000 Includes W3715-1 Big Block with Sleeves; Overbore Piston Kit; Head Gasket; Base Gasket - READY TO RUN!							
1428cc	3.268" or 83mm	W3960 \$1235.75 (D02768)	Drag Race 13.5:1	Piston Kit: P1425 Piston: 4248M08300/4249M08300 \$147.53 (D2588)	Rings: 3268XG Wrist pin: S557	Circlips: CW17 Sleeves: KA773SL, 3031FA	Head Gasket: W3948 Base Gasket: W5363
		W3961 \$1235.75 (D02768)	Turbo 8:1	Piston Kit: P1425B Piston: 4264M08300 \$147.53 (D2588)	Rings: 3268XG Wrist pin: S557	Circlips: CW17 Sleeves: KA773SL, 3031FA	Head Gasket: W5948 Base Gasket: W5363